## **BHF-10**

## NON PLANT FOOD INGREDIENT

0.18% Humic Acid

Manufactured by:

SOBEC Inc.

4618 E. Lincoln Ave. Fowler, CA 93625

(559) 287-1988

**GENERAL INFORMATION:** When BHF-10 is applied at recommended rates to the soil, BHF-10 may aid in the uptake of micronutrients

**DIRECTIONS FOR USE: BHF-10** is most effectively applied through irrigation water. **BHF-10** can be effectively applied through any irrigation system, including drip, microsprinkler, sprinkler, center pivot, furrow and flood. **BHF-10** can also be sprayed directly on the soil surface preceding irrigation.

## MIX OR AGITATE BEFORE APPLYING PRODUCT.

**GENERAL SOIL RATES:** Apply 4 to 10 gallons of **BHF-10** per acre two times during the crop cycle. Rates and application timing varies for specific crops and soil conditions. Contact the **SOBEC Corporation** for specific recommendations.

**PRECAUTIONS:** Caution - Do not ingest. Wash hands after using product. If swallowed: Call a poison control center or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water.

WARRANTIES AND LIABILITIES: The manufacturer guaranties that the contents and total amounts are, as stated, within lawful limits. Due to conditions beyond the control of the SOBEC Corporation, such as time, place and rate of application; weather conditions; dispensing equipment; storage facilities; etc., the warranty shall be limited to refund of purchase price or replacement of product. Such is expressly agreed to by the Buyer and the exclusive sole remedy. In no event shall SOBEC Corporation be liable for indirect or consequential damages. The manufacturer warrants that this product consists of the specified ingredients listed on the label and is reasonably fit for the purpose stated when used in accordance with the directions under normal conditions of use. No one other than an officer of the SOBEC Corporation is authorized to make any other warranty or guarantee regarding this product.

Net Volume	Gallons	Liters

Density 8.36 lbs/gal@ 68 degrees F